ANGEL DELIGHT FO-0123

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : ANGEL DELIGHT : QAKA-P3XX-1003-4WD2

JFI : FO-0123

Product code

Type of product : Perfumes, fragrances Product group : Finished Good

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use,Professional use Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Fragrance Orchard

Neutrino,

Albert Road,

Essex CM7 3JQ

GB - United Kingdom

1.4. Emergency telephone number

Emergency number: +44 1376 555 185

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008

[CLP] Skin corrosion/irritation, Category 2H315Serious eye damage/eye irritation, Category 2H319Skin sensitisation, Category 1H317Hazardous to the aquatic environment — Chronic Hazard, Category 3H412

Full text of H statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye irritation. Harmful to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008

[CLP] Hazard pictograms (CLP)



GHS07

Signal word (CLP) : Warning

Hazardous ingredients : Hexyl cinnamic aldehyde; Aldehyde C-16

2

Issue Date: 11/03/2017

Version: 01

Hazard statements (CLP) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Aldehyde C-16	(CAS-No.) 77-83-8 (EC-No.) 201-061-8 (REACH-no) 01-2119967770-28	8.1 – 16.2	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Aldehyde C-14	(CAS-No.) 104-67-6 (EC-No.) 203-225-4 (REACH-no) 01-2119959333-34	1.6 – 3.2	Aquatic Chronic 3, H412
Hexyl cinnamic aldehyde	(CAS-No.) 101-86-0 (EC-No.) 202-983-3 (REACH-no) 01-2119533092-50	1.2 – 2.4	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Veltol plus crystals	(CAS-No.) 4940-11-8 (EC-No.)	1.2 – 2.4	Acute Tox. 4 (Oral), H302
Anisic aldehyde	225-582-5 (CAS-No.) 123-11-5 (EC-No.) 204-602-6 (REACH-no) 01-2119977101-43	0.6 – 1.2	Aquatic Chronic 3, H412
2-Methylbutyric acid	(CAS-No.) 116-53-0 (EC-No.) 204-145-2	0.5 – 1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1B, H314
alpha-Methylcinnamic aldehyde	(CAS-No.) 101-39-3 (EC-No.) 202-938-8 (REACH-no) 01-2119538797-21	0.4 – 0.8	Skin Sens. 1, H317

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

3

Issue Date: 11/03/2017

Version: 01

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/ attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison

center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal

Symptoms/effects after skin use. : Irritation. May cause an allergic skin reaction.

contact Symptoms/effects after eye : Eye irritation.

contact

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray.

Unsuitable extinguishing media Sand.: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory

prodeorion trattempt to take action without suitable protective equipment. Self-

contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency

personnel Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup

crew

with proper protection. For further information refer to section 8: "Exposure

Emergency procedures controls/personal protection".

: Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other

up Other information materials. : Dispose of materials or solid residues at an authorized site.

Version: 01

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes.

Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/
Hygiene measures : Wearh. contaminated clothing before reuse. Do not eat, drink or smoke when using

: Mash.contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing

should not be allowed out of the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on : Store in a closed container.
packaging Packaging : Do not store in corrodable metal.

materials

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:	
Wear protective gloves.	

Eye protection:

Chemical goggles or safety glasses. Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear appropriate mask

Version: 01

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Odour : characteristic. : No data available Odour threshold : No data available рΗ Relative evaporation rate (butylacetate=1) : No data available Melting point : Not applicable Freezing point : No data available **Boiling point** : No data available

Flash point : 70 °C (closed cup) ASTM Auto-ignition temperature D7094: No data available Decomposition temperature : No data available Flammability (solid, gas) : Not applicable Vapour pressure : No data available

Relative vapour density at 20 °C : No data available : ≈ 1

Relative density

Solubility : No data available Partition coefficient n-octanol/water (Log : No data available Pow) Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

 Acute toxicity (oral)
 : Not classified

 Acute toxicity (dermal)
 : Not classified

 Acute toxicity (inhalation)
 : Not classified

Aldehyde C-16 (77-83-8)	
LD50 oral rat	<u>5470 mg/kg</u>

Aldehyde C-14 (104-67-6)	
LD50 oral rat	18500 mg/kg

Veltol plus crystals (4940-11-8)	
LD50 oral rat	1150 mg/kg
LD50 oral	1200 mg/kg bodyweight

Hexyl cinnamic aldehyde (101-86-0)	
LD50 oral rat	3100 mg/kg
LD50 oral	3100 mg/kg bodyweight
LD50 dermal rabbit	> <u>3000 mg/kg</u>
LC50 inhalation rat (mg/l)	> <u>5 mg/l/4h</u>

Anisic aldehyde (123-11-5)	
LD50 oral rat	> <u>2000 mg/kg</u>
LD50 oral	3210 mg/kg bodyweight
LD50 dermal rabbit	> <u>5000 mg/kg</u>
LC50 inhalation rat (mg/l)	> 0.32 mg/l (Exposure time: 7 h)

2-Methylbutyric acid (116-53-0)	
LD50 oral rat	<u>1870 μl/kg</u>
LD50 oral	1760 mg/kg bodyweight
LD50 dermal	1600 mg/kg bodyweight

alpha-Methylcinnamic aldehyde (101-39-3)	
LD50 oral rat	2050 mg/kg
LD50 oral	2050 mg/kg bodyweight
LD50 dermal rabbit	> <u>5 g/kg</u>

 Skin corrosion/irritation Serious
 : Causes skin irritation.

 eye damage/irritation
 : Causes serious eye irritation.

 Respiratory or skin
 : May cause an allergic skin reaction.

 sensitisation Germ cell
 : Not classified

 mutagenicity Carcinogenicity
 : Not classified

Version: 01

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

Hazardous to the aquatic environment, short-

term (acute)

Hazardous to the aquatic environment, long-term

(chronic)

: Harmful to aquatic life with long lasting

effects.: Not classified

: Harmful to aquatic life with long lasting

effects.

Aldehyde C-16 (77-83-8)	
LC50 fish 1	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])

Aldehyde C-14 (104-67-6)	
LC50 fish 1	569 mg/l 96 h
EC50 Daphnia 1	5.85 mg/l 48 h
EC50 other aquatic organisms 1	5.94 mg/l 72 h

Veltol plus crystals (4940-11-8)	
LC50 fish 1	> 85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)

2-Methylbutyric acid (116-53-0)	
LC50 fish 1	> 1000 mg/l (Exposure time: 96 h - Species: Danio rerio [static])

12.2. Persistence and degradability

ANGEL DELIGHT FO-0123	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

ANGEL DELIGHT FO-0123	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment.

Version: 01

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions. : Dispose in a safe manner in accordance with local/national regulations.

recommendations Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable
UN-No. (ADN) : Not applicable
UN-No. (RID) : Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name : Not applicable
(IMDG) Proper Shipping : Not applicable
Name (IATA) Proper Shipping : Not applicable
Name (ADN) Proper Shipping : Not applicable

Name (RID)

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) : Not applicable

(IMDG)

IATA : Not applicable

Transport hazard class(es) (IATA)

ADN : Not applicable

Transport hazard class(es) (ADN)

RID : Not applicable

Transport hazard class(es) (RID)

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group : Not applicable
(IMDG) Packing : Not applicable
group (IATA) Packing : Not applicable
group (ADN) Packing : Not applicable

group (RID)

14.5. Environmental hazards

Dangerous for the :No environment Marine pollutant :No

Other information :No supplementary information available

14.6. Special precautions for user

Overland

transport Not

applicable

Transport by sea

Not applicable

Air transport

Not applicable

Version: 01

Inland waterway

transport Not applicable
Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:	
Reference code	Applicable on
3(b)	ANGEL DELIGHT; Hexyl cinnamic aldehyde; Aldehyde C-16; alpha-Methylcinnamic aldehyde; 2-Methylbutyric acid
3(c)	ANGEL DELIGHT; Hexyl cinnamic aldehyde ; Aldehyde C-14 ; Aldehyde C-16 ; Anisic aldehyde

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

Water hazard class (WGK)

Hazardous Incident Ordinance (12. BlmSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen NIET-limitatieve lijst van voor de

voortplanting giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen - Vruchtbaarheid

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen - Ontwikkeling

Denmark

Class for fire hazard

Store unit

Classification remarks

Danish National Regulations

: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex

1): Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

: None of the components are listed: None of the components are listed: None of the components

are listed

: None of the components are

listed

: None of the components are

listed

: Class III-1

: 50 liter

: Flammable according to the Danish Ministry of Justice; Emergency management

guidelines

for the storage of flammable liquids must be followed

YPreggapetaprieaselleealthg augmentating vyristains aviet notiteal doordeal to on use into expecial unit tect contact

with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information : None.

Classification according to Regulation (EC) No. 1272/2008 [CLP]:	
Skin Irrit. 2	H315
Eye Irrit. 2	H319

10

Issue Date: 11/03/2017

Version: 01

Skin Sens. 1	H317
Aquatic Chronic 3	H412

Full text of H- and EUH-statements:		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Skin Corr. 1B	Skin corrosion/irritation, Category 1B	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.