BUTTERCREAM FO-0030

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : **BUTTERCREAM FO-0030**UFI : MNEK-W2CK-S00D-RACS

Product code : FO-0030

Type of product : Perfumes, fragrances
Product group : Finished Good

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use

Industrial/Professional use spec : For professional use only Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Fragrance Orchard

Neutrino,

Albert Road,

Essex CM7 3JQ

GB - United Kingdom

1.4. Emergency telephone number

Emergency number: +44 1376 555185

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008

[CLP] Acute toxicity (oral), Category 4H302Serious eye damage/eye irritation, Category 2H319Skin sensitisation, Category 1H317

H400 Hazardous Acute Hazard. Category 1 to the aquatic environment Hazardous the aquatic environment Chronic Hazard, Category 2 H411

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Causes serious eye irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction. Very toxic to aquatic life.

2.2. Label elements

Signal word (CLP)

Labelling according to Regulation (EC) No. 1272/2008

[CLP] Hazard pictograms (CLP)





GHS07

: Warning

Hazard statements (CLP)

Contains : Hexyl cinnamic aldehyde; Anisyl acetate; d-Limonene; Linalyl acetate; Cashmeran;

Linalool; Benzyl benzoate : H302 - Harmful if swallowed.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/

hearing protection.

P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	(CAS-No.) 120-51-4 (EC-No.) 204-402-9 (EC Index-No.) 607-085-00-9 (REACH-no) 01-2119976371-33	31.25 – 51.25	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Hexyl cinnamic aldehyde	(CAS-No.) 101-86-0 (EC-No.) 202-983-3 (REACH-no) 01-2119533092-50	9 – 12	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Ethyl vanillin crystals	(CAS-No.) 121-32-4 (EC-No.) 204-464-7 (REACH-no) 01-211958961-24	5.5 – 8.5	Eye Irrit. 2, H319
Hexamethylindanopyran	(CAS-No.) 1222-05-5 (EC-No.) 214-946-9 (EC Index-No.) 603-212-00-7 (REACH-no) 01-2119488227-29	3.75 – 6.75	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
d-Limonene	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5 (EC Index-No.) 601-029-00-7 (REACH-no) 01-2119493353-35	2.65 – 5.3	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Phenylmethanol	(CAS-No.) 100-51-6 (EC-No.) 202-859-9 (EC Index-No.) 603-057-00-5 (REACH-no) 01-2119492630-38	1.55 – 3.1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332
Linalyl acetate	(CAS-No.) 115-95-7 (EC-No.) 204-116-4 (REACH-no) 01-2119454789-19	0.825 – 1.65	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Anisyl acetate	(CAS-No.) 104-21-2 (EC-No.) 203-185-8	0.7 – 1.4	Skin Sens. 1, H317

Veltol plus crystals	(CAS-No.) 4940-11-8 (EC-No.) 225-582-5	0.625 – 1.25	Acute Tox. 4 (Oral), H302
Cashmeran	(CAS-No.) 33704-61-9 (EC-No.) 251-649-3 (REACH-no) 01-2119977131-40	0.325 – 0.65	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 STOT RE 2, H373 Aquatic Chronic 2,
Linalool	(CAS-No.) 78-70-6 (EC-No.) 201-134-4 (EC Index-No.) 603-235-00-2 (REACH-no) 01-2119474016-42	0.175 – 0.35	H411 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact First- : Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

aid measures after ingestion : Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin symptoms/effects after eye contact : eaction. : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency

personnel Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning : Take up liquid spill into absorbent material.

up Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear

personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.

handling Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Storage : Store in a well-ventilated place. Keep cool.

temperature Storage area : 25 °C

Special rules on packaging : Store in a well-ventilated place. Store away from heat.

Packaging materials : Store in a closed container.

: Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Phenylmethanol (100-51-6)		
Bulgaria - Occupational Exposure Limits		
OEL TWA (mg/m³)	5 mg/m³	
Czech Republic - Occupational Exposure Limits		
Expoziční limity (PEL) (mg/m³)	40 mg/m³	
Finland - Occupational Exposure Limits		
HTP-arvo (8h) (mg/m³)	45 mg/m³	
HTP-arvo (8h) (ppm)	10 ppm	
Germany - Occupational Exposure Limits (TRGS 900)		
Occupational exposure limit value (mg/m³)	22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Occupational exposure limit value (ppm)	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation	
Latvia - Occupational Exposure Limits		
OEL TWA (mg/m³)	5 mg/m³	

Phenylmethanol (100-51-6)		
Lithuania - Occupational Exposure Limits		
IPRV (mg/m³)	5 mg/m³	
OEL chemical category (LT)	Skin notation	
Poland - Occupational Exposure Limits		
NDS (mg/m³)	240 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA (mg/m³)	22 mg/m³	
OEL TWA (ppm)	5 ppm	
OEL STEL (mg/m³)	44 mg/m³	
OEL STEL (ppm)	10 ppm	
OEL chemical category (SI)	Potential for cutaneous absorption	
Switzerland - Occupational Exposure Limits		
MAK (mg/m³)	22 mg/m³ (aerosol, vapour)	
MAK (ppm)	5 ppm (aerosol, vapour)	
OEL chemical category (CH)	Skin notation	

d-Limonene (5989-27-5)	
Finland - Occupational Exposure Limits	
HTP-arvo (8h) (mg/m³)	140 mg/m³
HTP-arvo (8h) (ppm)	25 ppm
HTP-arvo (15 min)	280 mg/m³
HTP-arvo (15 min) (ppm)	50 ppm
Germany - Occupational Exposure Limits (TR	GS 900)
Occupational exposure limit value (mg/m³)	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Occupational exposure limit value (ppm)	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Chemical category	Skin notation, Skin sensitization
Slovenia - Occupational Exposure Limits	
OEL TWA (mg/m³)	28 mg/m³
OEL TWA (ppm)	5 ppm
OEL STEL (mg/m³)	112 mg/m³
OEL STEL (ppm)	20 ppm
OEL chemical category (SI)	Potential for cutaneous absorption
Spain - Occupational Exposure Limits	
VLA-ED (mg/m³)	168 mg/m³
VLA-ED (ppm)	30 ppm
OEL chemical category (ES)	Sensitizer, skin - potential for cutaneous absorption
Norway - Occupational Exposure Limits	
Grenseverdier (AN) (mg/m³)	140 mg/m³
Grenseverdier (AN) (ppm)	25 ppm

d-Limonene (5989-27-5)		
Grenseverdier (Korttidsverdi) (mg/m3)	175 mg/m³ (value calculated)	
Grenseverdier (Korttidsverdi) (ppm)	37.5 ppm (value calculated)	
OEL chemical category (NO)	Sensitizing substance	
Switzerland - Occupational Exposure Limits		
MAK (mg/m³)	40 mg/m³	
MAK (ppm)	7 ppm	
KZGW (mg/m³)	80 mg/m ³	
KZGW (ppm)	14 ppm	
OEL chemical category (CH)	Sensitizer	

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:	
Protective gloves	

Eye protection:	
Safety glasses	

Skin and body protection:	
Wear suitable protective clothing	

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



Environmental exposure controls: Avoid release to the

environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Odour : characteristic. Odour threshold : No data available : No data available рΗ Relative evaporation rate : No data available (butylacetate=1) Melting point : Not applicable Freezing point : No data available **Boiling point** : No data available

Flash point : 91.8 °C (closed cup) ASTM Auto-ignition temperature D7094 : No data available

Decomposition temperature : No data available Flammability (solid, gas) : Not applicable Vapour pressure : No data available Relative vapour density at 20 °C : No data available

Relative density : ≈ 0.99

Solubility : No data available
Partition coefficient n-octanol/water (Log : No data available
Pow) Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

BUTTERCREAM FO-0030	
ATE CLP (oral)	910.855 mg/kg bodyweight

Phenylmethanol (100-51-6)	
LD50 oral rat	1230 mg/kg
LD50 oral	1620 mg/kg bodyweight
LD50 dermal	2500 mg/kg bodyweight

Veltol plus crystals (4940-11-8)	
LD50 oral rat	1150 mg/kg

LD50 oral	1200 mg/kg bodyweight	
Ethyl vanillin crystals (121-32-4)		
LD50 oral rat	1590 mg/kg	
LD50 oral	3000 mg/kg bodyweight	
Cashmeran (33704-61-9)		
LD50 oral	2900 mg/kg bodyweight	
2500 0101	2000 mg/ng body morgin	
Hexyl cinnamic aldehyde (101-86-0)		
LD50 oral rat	3100 mg/kg	
LD50 oral	3100 mg/kg bodyweight	
LD50 dermal rabbit	> 3000 mg/kg	
LC50 Inhalation - Rat	> 5 mg/l/4h	
Benzyl benzoate (120-51-4)		
LD50 oral rat	500 mg/kg	
LD50 oral	1500 mg/kg bodyweight	
LD50 dermal rabbit	4000 mg/kg	
LD50 dermal	4000 mg/kg bodyweight	
LD50 defmai	4000 mg/kg bodyweight	
Hexamethylindanopyran (1222-05-5		
LD50 oral rat	> 3250 mg/kg	
LD50 dermal rabbit	> 3250 mg/kg	
d-Limonene (5989-27-5)		
LD50 oral rat	4400 mg/kg	
LD50 dermal rabbit	> 5 g/kg	
Linalyl acetate (115-95-7)		
LD50 oral rat	14550 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
Linalool (78-70-6)		
LD50 oral	2790 mg/kg bodyweight	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitisation Germ cell mutagenicity	May cause an allergic skin reaction. Not classified	
Carcinogenicity	: Not classified : Not classified	
d-Limonene (5989-27-5)		
	3 - Not classifiable	
IARC group	3 - INUL CIASSITIADIE	
Reproductive toxicity	: Not classified	

STOT-single exposure STOT- : Not classified

repeated exposure Aspiration : Not classified

hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

Hazardous to the aquatic environment, short-

term (acute)

Hazardous to the aquatic environment, long-term

(chronic)

: Toxic to aquatic life with long lasting effects. Very toxic to aquatic

life. : Very toxic to aquatic life.

: Toxic to aquatic life with long lasting effects.

Phenylmethanol (100-51-6)	
LC50 fish 1	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
LC50 fish 2	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 1	23 mg/l (Exposure time: 48 h - Species: water flea)

Veltol plus crystals (4940-11-8)	
LC50 fish 1	> 85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)

Ethyl vanillin crystals (121-32-4)	
LC50 fish 1	81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])

Cashmeran (33704-61-9)	
LC50 fish 1	10.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])

Benzyl benzoate (120-51-4)	
LC50 fish 1	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
NOEC (chronic)	0.168 mg/l

Hexamethylindanopyran (1222-05-5)	
LC50 fish 1	0.452 mg/l Wolf, 1996d-27682
LC50 other aquatic organisms 1	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 Daphnia 2	260 μg/l REACH Dossier
EC50 other aquatic organisms 1	0.131 mg/l REACH Dossier

d-Limonene (5989-27-5)	
LC50 fish 1	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)

Linalyl acetate (115-95-7)	
LC50 fish 1	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])

Linalool (78-70-6)	
EC50 96h algae (1)	88.3 mg/l (Species: Desmodesmus subspicatus)

12.2. Persistence and degradability

Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Phenylmethanol (100-51-6)	
Partition coefficient n-octanol/water (Log Pow)	1.1

Benzyl benzoate (120-51-4)			
Partition coefficient n-octanol/water (Log Pow)	4		
Bioaccumulative potential	Not established.		

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collectorscorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

 UN-No. (ADR)
 : UN 3082

 UN-No. (IMDG)
 : UN 3082

 UN-No. (IATA)
 : UN 3082

 UN-No. (ADN)
 : UN 3082

 UN-No. (RID)
 : Not regulated

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s.

Proper Shipping Name (ADN) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (RID) : Not regulated

Transport document description (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-limonene),

9, III, (E)

Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-

limonene),

Transport document description (IATA) 9, III, MARINE POLLUTANT

Transport document description (ADN) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (d-limonene), 9, III

: U9NIB082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-limonene),

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) : 9 (ADR) Danger labels (ADR) : 9



IMDG

Transport hazard class(es) : 9 (IMDG) Danger labels (IMDG) : 9



IATA

Transport hazard class(es) : 9 (IATA) Danger labels (IATA) : 9



ADN

Transport hazard class(es) : 9 (ADN) Danger labels (ADN) : 9



RID

Transport hazard class(es) (RID) : Not regulated

14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III

Packing group (RID) : Not regulated

14.5. Environmental hazards

Dangerous for the :Yes environment Marine pollutant :Yes

Other information :No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) Limited : 274, 335, 601, 375

quantities (ADR) Excepted : 5l quantities (ADR) Packing : E1

instructions (ADR) Special : P001, IBC03, LP01, R001

packing provisions (ADR) Mixed : PP1 packing provisions (ADR) : MP19

Portable tank and bulk container instructions (ADR) : T4

Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, : CV13

unloading and handling (ADR)

Hazard identification number (Kemler No.) Orange : 90

plates

90 3082

Tunnel restriction code (ADR) : E EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : P001, LP01 Special packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP2, TP29 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-F Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197

ERG code (IATA)

Inland waterway transport : 9L

Classification code (ADN)

Special provisions (ADN) : M6

Limited quantities (ADN) : 274, 335, 375, 601

Excepted quantities (ADN) : 5 L
Carriage permitted (ADN) : E1
Equipment required (ADN) : T
Number of blue cones/lights (ADN) : PP
Rail transport : 0

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

Reference code | Applicable on

3(a)	d-Limonene
3(b)	BUTTERCREAM FO-0030; Phenylmethanol; Hexyl cinnamic aldehyde; Anisyl acetate; d-Limonene; Linalyl acetate; Cashmeran; Linalool; Benzyl benzoate
3(c)	BUTTERCREAM FO-0030 ; Hexyl cinnamic aldehyde ; d-Limonene ; Cashmeran ; Benzyl benzoate ; Hexamethylindanopyran
40.	d-Limonene

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

Water hazard class (WGK)

Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen - Borstvoeding NIET-limitatieve lijst van voor de

voortplanting giftige stoffen - Vruchtbaarheid

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen - Ontwikkeling

Denmark

Class for fire hazard

Store unit

Classification remarks

Danish National Regulations

: WGK 3, Highly hazardous to water (Classification according to AwSV, Annex

1): Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

: None of the components are listed : None of the components are listed

: None of the components are listed

: None of the components are listed

: None of the components are listed

: Class III-1

: 50 liter

: Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

: Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact

with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acro	onyms:				
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Water				
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road				
ATE	Acute Toxicity Estimate				
BLV	Biological limit value				
CAS-No.	Chemical Abstract Service number				
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008				
DMEL	Derived Minimal Effect level				
DNEL	Derived-No Effect Level				
EC50	Median effective concentration				
EC-No.	European Community number				
EN	European Standard				

IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

Full text of H- and EUH-statements:					
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4				
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4				
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1				
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1				
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2				
Asp. Tox. 1	Aspiration hazard, Category 1				
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2				
Flam. Liq. 3	Flammable liquids, Category 3				
Skin Irrit. 2	Skin corrosion/irritation, Category 2				
Skin Sens. 1	Skin sensitisation, Category 1				
Skin Sens. 1B	Skin sensitisation, category 1B				
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2				
H226	Flammable liquid and vapour.				
H302	Harmful if swallowed.				
H304	May be fatal if swallowed and enters airways.				
H315	Causes skin irritation.				
H317	May cause an allergic skin reaction.				
H319	Causes serious eye irritation.				
H332	Harmful if inhaled.				
H373	May cause damage to organs through prolonged or repeated exposure.				
H400	Very toxic to aquatic life.				
H410	Very toxic to aquatic life with long lasting effects.				
H411	Toxic to aquatic life with long lasting effects.				



SDS	FII	(RF	ACH.	Annex	11)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.