CLEAN COTTON FO-0006

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

 Product name
 : CLEAN COTTON FO-0006

 UFI
 : Q2CU-A438-Y00Q-1E9G

Product code : FO-0006

Type of product : Perfumes, fragrances
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use

Industrial/Professional use spec : Industrial

For professional use only

Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents

1.2.2. Uses advised against No

additional information available

1.3. Details of the supplier of the safety data sheet

Fragrance Orchard

Neutrino, Albert Road, Essex CM7 3JQ

GB - United Kingdom

1.4. Emergency telephone number

Emergency number : +44 (0) 1376 555185

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317 Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects Harmful

to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS0

Signal word (CLP) : Warning

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

 $\ensuremath{\mathsf{H412}}$ - Harmful to a quatic life with long lasting effects. Issue Date:

21/04/2023 Version: 1

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Dipropylene glycol monomethyl ether substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 34590-94-8 EC-No.: 252-104-2	41.6 – 83.22	Not classified
Heliotropine	CAS-No.: 120-57-0 EC- No.: 204-409-7 REACH-no: 01-2119983608- 21	1.5 – 2.9	Skin Sens. 1B, H317
Methyl ionone (mixture of isomers)	CAS-No.: 1335-46-2 EC-No.: 215-635-0	1.1 – 2.15	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 2, H411
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.9 – 1.75	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Citronellol Pure	CAS-No.: 106-22-9 EC- No.: 203-375-0 REACH-no: 01-2119453995- 23	0.809 – 1.525	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Patchouli oil	CAS-No.: 8014-09-3 EC Index-No.: 616-944-7	0.8 – 1.5	Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Phenylethyl alcohol	CAS-No.: 60-12-8 EC-No.: 200-456-2 REACH-no: 01-2119963921- 31	0.5 – 1	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319

21/04/2023 Version: 1

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethyl vanillin	CAS-No.: 121-32-4 EC-No.: 204-464-7 REACH-no: 01-211958961-24	0.5 – 1	Eye Irrit. 2, H319
Cinnamic alcohol	CAS-No.: 104-54-1 EC- No.: 203-212-3 REACH-no: 01-2119934496- 29	0.5 – 0.9	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC- No.: 205-399-7 REACH-no: 01-2119638272- 42	0.4 – 0.75	Aquatic Chronic 3, H412
ACETYL HEXAMETHYL TETRALIN	CAS-No.: 21145-77-7 EC-No.: 244-240-6	0.2 – 0.4	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Geraniol	CAS-No.: 106-24-1 EC- No.: 203-377-1 EC Index-No.: 603-241-00-5 REACH-no: 01-2119552430- 49	0.15 – 0.35	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 REACH-no: 01-2119935242-45	0.1 – 0.28	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Nerol	CAS-No.: 106-25-2 EC-No.: 203-378-7	0.09 – 0.25	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1,
3-Methylcyclopentadecenone	CAS-No.: 82356-51-2 EC-No.: 429-900-5 EC Index-No.: 606-119-00-X	0.1 – 0.1	H317 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
para-Cresyl methyl ether	CAS-No.: 104-93-8 EC-No.: 203-253-7	0.1 – 0.1	Acute Tox. 4 (Oral), H302 Repr. 2, H361 Skin Irrit. 2, H315
Citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0.003 – 0.015	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

Issue Date:

21/04/2023 Version: 1

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency

personnel Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid

contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from

Special rules on packaging heat. : Store in a closed container. Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Dipropylene glycol monomethyl ether (34590-94-8)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	308 mg/m³	
IOEL TWA [ppm]	50 ppm	
Remark	Possibility of significant uptake through the skin	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	307 mg/m³ (mixed isomers)	
MAK (OEL TWA) [ppm]	50 ppm (mixed isomers)	
MAK (OEL STEL)	614 mg/m³ (isomers mixtures)	
MAK (OEL STEL) [ppm]	100 ppm (isomers mixtures)	
OEL chemical category	Skin notation	
Belgium - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL chemical category	Skin, Skin notation	
Bulgaria - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
OEL TWA [ppm]	50 ppm	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA) [1]	308 mg/m³	
GVI (OEL TWA) [2]	50 ppm	
OEL chemical category	Skin notation	
Cyprus - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL chemical category	Skin-potential for cutaneous absorption	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	270 mg/m³	
OEL chemical category	Potential for cutaneous absorption	
Denmark - Occupational Exposure Limits		
OEL TWA [1]	309 mg/m³	
OEL TWA [2]	50 ppm	
OEL chemical category	Potential for cutaneous absorption	

Dipropylene glycol monomethyl ether (34590-94-8)		
Estonia - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL chemical category	Skin notation	
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	310 mg/m³	
HTP (OEL TWA) [2]	50 ppm	
OEL chemical category	Potential for cutaneous absorption	
France - Occupational Exposure Limits		
VME (OEL TWA)	308 mg/m³ (restrictive limit)	
VME (OEL TWA) [ppm]	50 ppm (restrictive limit)	
OEL chemical category	Risk of cutaneous absorption	
Germany - Occupational Exposure Limits (TRGS 90	0)	
AGW (OEL TWA) [1]	310 mg/m³ (isomer mixture)	
AGW (OEL TWA) [2]	50 ppm (isomer mixture)	
Gibraltar - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL chemical category	Skin notation	
Greece - Occupational Exposure Limits		
OEL TWA	600 mg/m³	
OEL TWA [ppm]	100 ppm	
OEL STEL	900 mg/m³	
OEL STEL [ppm]	150 ppm	
OEL chemical category	skin - potential for cutaneous absorption	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	308 mg/m³	
Ireland - Occupational Exposure Limits		
OEL TWA [1]	308 mg/m³ ((2-Methoxymethylethoxy)propanol)	
OEL TWA [2]	50 ppm ((2-Methoxymethylethoxy)propanol)	
OEL STEL	924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)	
OEL STEL [ppm]	150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)	
OEL chemical category	Potential for cutaneous absorption	
Italy - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL chemical category	skin - potential for cutaneous absorption	
Latvia - Occupational Exposure Limits		
OEL TWA	308 mg/m³	

Dipropylene glycol monomethyl ether (34590-94-8)		
OEL TWA [ppm]	50 ppm	
OEL chemical category	skin - potential for cutaneous exposure	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	300 mg/m³ (2-(2-Methoxypropoxy)-propanol)	
IPRV (OEL TWA) [ppm]	50 ppm (2-(2-Methoxypropoxy)-propanol)	
TPRV (OEL STEL)	450 mg/m³ (2-(2-Methoxypropoxy)-propanol)	
TPRV (OEL STEL) [ppm]	75 ppm (2-(2-Methoxypropoxy)-propanol)	
OEL chemical category	Skin notation	
Luxembourg - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL chemical category	Possibility of significant uptake through the skin	
Malta - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL chemical category	Possibility of significant uptake through the skin	
Netherlands - Occupational Exposure Limits		
TGG-8u (OEL TWA)	300 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol and 2-(2-Methoxy-1-methylethoxy)propan-1-ol)	
NDSCh (OEL STEL)	480 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol)	
Portugal - Occupational Exposure Limits		
OEL TWA	308 mg/m³ (indicative limit value)	
OEL TWA [ppm]	50 ppm (indicative limit value)	
OEL STEL [ppm]	150 ppm	
OEL chemical category	skin - potential for cutaneous exposure indicative limit value	
Romania - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL chemical category	Skin notation	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA) [1]	308 mg/m³	
NPHV (OEL TWA) [2]	50 ppm	
OEL chemical category	Potential for cutaneous absorption	
Slovenia - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	<u> </u>	
OEL TWA [ppm]	50 ppm	

Dipropylene glycol monomethyl ether (34590-94-8)		
OEL STEL [ppm]	50 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	308 mg/m³ (indicative limit value)	
VLA-ED (OEL TWA) [2]	50 ppm (indicative limit value)	
OEL chemical category	skin - potential for cutaneous absorption	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	300 mg/m³	
NGV (OEL TWA) [ppm]	50 ppm	
KTV (OEL STEL)	450 mg/m³	
KTV (OEL STEL) [ppm]	75 ppm	
OEL chemical category	Skin notation	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	308 mg/m³	
WEL TWA (OEL TWA) [2]	50 ppm	
WEL STEL (OEL STEL)	924 mg/m³ (calculated)	
WEL STEL (OEL STEL) [ppm]	150 ppm (calculated)	
WEL chemical category	Potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	300 mg/m³	
Grenseverdi (OEL TWA) [2]	50 ppm	
Korttidsverdi (OEL STEL)	375 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	75 ppm (value calculated)	
OEL chemical category	Skin notation	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	300 mg/m³ (aerosol, vapour)	
MAK (OEL TWA) [2]	50 ppm (aerosol, vapour)	
KZGW (OEL STEL)	300 mg/m³ (aerosol, vapour)	
KZGW (OEL STEL) [ppm]	50 ppm (aerosol, vapour)	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	100 ppm	
ACGIH OEL STEL [ppm]	150 ppm	
ACGIH chemical category	Skin - potential significant contribution to overall exposure by the cutaneous route	
Benzyl acetate (140-11-4)		
Belgium - Occupational Exposure Limits		
OEL TWA	62 mg/m³	
OEL TWA [ppm]	10 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA [1]	61 mg/m³	

Benzyl acetate (140-11-4)			
OEL TWA [2]	10 ppm		
Ireland - Occupational Exposure Limits			
OEL TWA [2]	10 ppm		
OEL STEL [ppm]	30 ppm (calculated)		
Latvia - Occupational Exposure Limits			
OEL TWA	5 mg/m³		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	5 mg/m³		
Portugal - Occupational Exposure Limits			
OEL TWA [ppm]	10 ppm		
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen		
Romania - Occupational Exposure Limits			
OEL TWA	50 mg/m³		
OEL TWA [ppm]	8 ppm		
OEL STEL	80 mg/m³		
OEL STEL [ppm]	13 ppm		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA) [1]	62 mg/m³		
VLA-ED (OEL TWA) [2]	10 ppm		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA [ppm]	10 ppm		
ACGIH chemical category	Not Classifiable as a Human Carcinogen		
Citral (5392-40-5)			
Belgium - Occupational Exposure Limits			
OEL TWA	32 mg/m³ (vapor and aerosol)		
OEL TWA [ppm]	5 ppm (vapor and aerosol)		
OEL chemical category	Skin		
Ireland - Occupational Exposure Limits			
OEL TWA [2]	5 ppm		
OEL STEL [ppm]	15 ppm (calculated)		
Poland - Occupational Exposure Limits			
NDS (OEL TWA)	27 mg/m³		
NDSCh (OEL STEL)	54 mg/m³		
Portugal - Occupational Exposure Limits			
OEL TWA [ppm]	5 ppm		
OEL chemical category	Sensitizer, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA) [2]	5 ppm (inhalable fraction and vapor)		

Citral (5392-40-5)		
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	5 ppm (inhalable fraction and vapor)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer	

8.1.2. Recommended monitoring

procedures No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls: Ensure

good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Issue Date:

21/04/2023 Version: 1

Colour : light yellow. amber. Odour : characteristic. Odour threshold : Not available Melting point : Not available Freezing point Not available : Not available Boiling point Flammability Not available Not available Explosive limits Not available Lower explosion limit Upper explosion limit Not available

Flash point : 83 °C (closed cup) ASTM D7094

Auto-ignition temperature :Not available : Decomposition temperature Not available: Not available : Ηd Not available: Viscosity, kinematic Solubility Not available: Partition coefficient n-octanol/water (Log Kow) Not available: Vapour pressure Not available: Vapour pressure at 50°C Not available: Density Not available : Not available : Relative density Not available Relative vapour density at 20°C Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Issue Date: 21/04/2023

Version: 1

Dipropylene glycol monomethyl ether (34590-94-8)		
LD50 oral rat	5.35 g/kg	
LD50 dermal rabbit	9500 mg/kg	
Heliotropine (120-57-0)		
LD50 oral rat	2700 mg/kg	
LD50 oral	2700 mg/kg bodyweight	
LD50 dermal rat	> 5000 mg/kg	
Methyl ionone (mixture of isomers) (1335-46-2	2)	
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
LD50 dermal	2900 mg/kg bodyweight	
COUMARIN (91-64-5)		
LD50 oral rat	> 5000 mg/kg	
LD50 oral	500 mg/kg bodyweight	
LD50 dermal rat	293 mg/kg	
Patchouli oil (8014-09-3)		
LD50 oral rat	> 5 g/kg	
Citronellol Pure (106-22-9)		
LD50 oral rat	3450 mg/kg	
LD50 oral	3450 mg/kg bodyweight	
LD50 dermal rabbit	2650 mg/kg	
LD50 dermal	2650 mg/kg bodyweight	
Phenylethyl alcohol (60-12-8)		
LD50 oral rat	1609 mg/kg	
LD50 oral	1610 mg/kg bodyweight	
LD50 dermal rabbit	2535 mg/kg	
LD50 dermal	2500 mg/kg bodyweight	
LC50 Inhalation - Rat	> 4.63 mg/l/4h	
Ethyl vanillin (121-32-4)		
LD50 oral rat	1590 mg/kg	
LD50 oral	3000 mg/kg bodyweight	
LD50 dermal rat	> 2000 mg/kg	
Cinnamic alcohol (104-54-1)		
LD50 oral	2000 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg	
Benzyl acetate (140-11-4)		
LD50 oral rat	2490 mg/kg	
LD50 oral	2490 mg/kg bodyweight	

Issue Date: 21/04/2023 Version: 1

Benzyl acetate (140-11-4)		
LD50 dermal rabbit	> 5000 mg/kg	
Geraniol (106-24-1)		
LD50 oral rat	3600 mg/kg	
LD50 oral	3600 mg/kg bodyweight	
LD50 dermal rabbit	> 5 g/kg	
Nerol (106-25-2)	<u> </u>	
LD50 oral rat	4500 mg/kg	
LD50 oral	4500 mg/kg bodyweight	
LD50 dermal rabbit	> 5 g/kg	
Citral (5392-40-5)		
LD50 oral rat	4960 mg/kg	
LD50 dermal rabbit	2250 mg/kg	
LD50 dermal	2250 mg/kg bodyweight	
ACETYL HEXAMETHYL TETRALIN (
LD50 oral rat	570 mg/kg	
LD50 oral	1000 mg/kg bodyweight	
LD50 dermal rabbit	> 5 g/kg	
Cinnamic aldehyde (104-55-2)		
LD50 oral rat	2220 mg/kg	
LD50 oral	2200 mg/kg bodyweight	
LD50 dermal rabbit	1260 mg/kg	
LD50 dermal	1100 mg/kg bodyweight	
para-Cresyl methyl ether (104-93-8)	·	
LD50 oral rat	1920 mg/kg	
LD50 oral	1900 mg/kg bodyweight	
LD50 dermal rabbit	> 5 g/kg	
LC50 Inhalation - Rat	> 6.1 mg/l/4h	
Skin corrosion/irritation Serious	: Not classified	
eye damage/irritation	: Not classified	
Respiratory or skin sensitisation Germ cell mutagenicity	: May cause an allergic skin reaction.: Not classified	
Carcinogenicity	: Not classified	
COUMARIN (91-64-5)		
IARC group	3 - Not classifiable	
Benzyl acetate (140-11-4)		
IARC group	3 - Not classifiable	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	

Heliotropine (120-57-0)	
Viscosity, kinematic	Not applicable

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term

(acute) : Not classified

Hazardous to the aquatic environment, long-term

(chronic)

Hazardous to the aquatic environment, long-term

(chronic)

(chronic) :	Harmful to aquatic life with long lasting effects.		
Dipropylene glycol monomethyl ether (34590-94-8)			
LC50 - Fish [1]	> 10000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
EC50 - Crustacea [1]	1919 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
Heliotropine (120-57-0)			
LC50 - Fish [1]	2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static])		
Methyl ionone (mixture of isomers) (1335-46-	2)		
LC50 - Fish [1]	2.3 mg/l (Exposure time: 96 h - Species: Danio rerio [static])		
Phenylethyl alcohol (60-12-8)			
EC50 - Crustacea [1]	287.17 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
EC50 72h - Algae [1]	490 mg/l (Species: Desmodesmus subspicatus)		
Ethyl vanillin (121-32-4)			
LC50 - Fish [1]	81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])		
Geraniol (106-24-1)			
LC50 - Fish [1]	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static])		
Nerol (106-25-2)			
LC50 - Fish [1]	20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])		
Citral (5392-40-5)			
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)		
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)		
para-Cresyl methyl ether (104-93-8)			
EC50 - Crustacea [1]	44.2 mg/l (Exposure time: 48 h - Species: Daphnia magna Straus)		
EC50 72h - Algae [1]	320 mg/l (Species: Desmodesmus subspicatus)		
EC50 96h - Algae [1]	390 mg/l (Species: Desmodesmus subspicatus)		

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Dipropylene glycol monomethyl ether (34590-94-8)				
Partition coefficient n-octanol/water (Log Pow)	0.35 (at 25 °C (at pH 7)			
Heliotropine (120-57-0)				
Partition coefficient n-octanol/water (Log Pow)	1.2 (at 35 °C)			
Methyl ionone (mixture of isomers) (1335-46	i-2)			
Partition coefficient n-octanol/water (Log Pow)	(>4.5 - <5 - at 23 °C (at pH 6.2)			
Citronellol Pure (106-22-9)				
Partition coefficient n-octanol/water (Log Pow)	3.41 (at 25 °C)			
Phenylethyl alcohol (60-12-8)				
Partition coefficient n-octanol/water (Log Pow)	1.36 (at 20 °C (at pH 7)			
Ethyl vanillin (121-32-4)				
Partition coefficient n-octanol/water (Log Pow)	1.61 (at 25 °C)			
Cinnamic alcohol (104-54-1)				
Partition coefficient n-octanol/water (Log Pow)	1.636 (at 27 °C (at pH 3.52)			
Benzyl acetate (140-11-4)				
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)			
Geraniol (106-24-1)				
Partition coefficient n-octanol/water (Log Pow)	2.6 (at 25 °C)			
Nerol (106-25-2)				
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 30 °C (at pH 6.5)			
Citral (5392-40-5)				
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)			
ACETYL HEXAMETHYL TETRALIN (21145-77-7)				
Partition coefficient n-octanol/water (Log Pow)	5.7 (at 24 °C)			
Cinnamic aldehyde (104-55-2)				
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)			
para-Cresyl methyl ether (104-93-8)				
Partition coefficient n-octanol/water (Log Pow)	2.8 (at 35 °C (at pH 7)			

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions. **HP Code**

: HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one

or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

RID	ADN	IATA	IMDG	ADR
			umber	14.1. UN number or ID n
ble Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
			g name	14.2. UN proper shippin
ble Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
			class(es)	14.3. Transport hazard
ble Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
				14.4. Packing group
ble Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
			zards	14.5. Environmental haz
ble Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
lical	Not app	Not applicable		Not applicable No supplementary informatio

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway

transport Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
3(b)	CLEAN COTTON; Methyl ionone (mixture of isomers); Patchouli oil; Citronellol Pure; Phenylethyl alcohol; Geraniol; Nerol; Citral; Cinnamic aldehyde; 3- Methylcyclopentadeceno n e; para-Cresyl methyl ether	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	CLEAN COTTON; Methyl ionone (mixture of isomers); Patchouli oil; Benzyl acetate; Cinnamic aldehyde; 3-Methylcyclopentadecenon e	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Piperonal		120-57-0	2932 93 00	Category 1		Annex I

15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

List of sensitizing substances (TRGS 907) : Contains sensitizing substances according TRGS 907.

Hazardous Incident Ordinance (12. BlmSchV) : Is not subject of the Hazardous Incident Ordinance (12. BlmSchV)

21/04/2023 Version: 1

Netherlands

ABM category : A(3) - hazardous for aquatic organisms, may have longterm hazardous effects in aquatic

: None of the components are listed

environment

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

SZW-lijst van reprotoxische stoffen –

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling

: None of the components are listed SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed : None of the components are listed

: None of the components are listed

Denmark

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

Switzerland

Storage class (LK) : LK 10/12 - Liquids

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	

Full text of H- and EUH-statements:		
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H361	Suspected of damaging fertility or the unborn child.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.