COCO CABANA FO-0039

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product form	: Mixture
Product name	: COCO CABANA FO-0039
UFI	:A86R-S15N-000V-T3MJ
Product code	: FO-0039
Type of product	: Perfumes, Fragrances
Product group	: Finished Good

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Industrial use, Professional use
Industrial/Professional use spec	: For professional use only Industrial
Use of the substance/mixture	: Perfumes, Fragrances
Function or use category	: Odour agents

1.2.2. Uses advised against

No additional information available

Fragrance Orchard

Neutrino,

Albert Road,

Essex CM7 3JQ

GB - United Kingdom

1.4. Emergency telephone number

Emergency number:

+44 1376 555185

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral)	H302
Category 4 Acute toxicity (dermal)	H312
Category 4 Skin sensitization, Category	H317
Hazardous to the aquatic environment - Chronic Hazard Category 3	H412

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Harmful in contact with skin. Harmful if swallowed. Harmful to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008

[CLP] Hazard pictograms (CLP)

Signal word (CLP) Hazardous ingredients GHS07 : Warning : Triplal (Vertocitral); Coumarin crystals

Hazard statements (CLP)	: H302+H312 - Harmful if swallowed or in contact with skin H317 - May cause an allergic skin reaction H412 - Harmful to aquatic life with long lasting effects
Precautionary statements (CLP)	 P264 - Wash hands thoroughly after handling P270 - Do not eat, drink or smoke when using this product. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear eye protection, face protection, protective clothing, protective gloves.

2.3. Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Methyl ester of rosin (partially hydrogenated)	(CAS-No.) 8050-15-5 (EC-No.) 232-476-2	10 - 30	Aquatic Chronic 3, H412
Coumarin crystals	(CAS-No.) 91-64-5 (EC-No.) 202-086-7 (REACH-no) 01-2119943756-26	12.925 - 17.5	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Ethyl vanillin crystals	(CAS-No.) 121-32-4 (EC-No.) 204-464-7 (REACH-no) 01-211958961-24	0.95 - 1.4	Eye Irrit. 2, H319
IsoamyI acetate substance with a Community workplace exposure limit	(CAS-No.) 123-92-2 (EC-No.) 204-662-3 (EC Index-No.) 607-130-00-2	0.5 - 1	Flam. Liq. 3, H226
Triplal (Vertocitral)	(CAS-No.) 68039-49-6 (EC-No.) 268-264-1	0.05 - 0.1	Eye Irrit. 2, H319 Aquatic Chronic 2, H411 Skin Irrit. 2, H315 Skin Sens. 1B, H317

Allergen report available upon request. Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a poison center/doctor/physician if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
4.3. Indication of any immediate medication of any immed	al attention and special treatment needed
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Spec	cial hazards arising from the sub	ostance or mixture	
Hazardous dec of fire	composition products in case	: Toxic fumes may be released.	
5.3. Advi	ice for firefighters		
Firefighting inst	tructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.	
Protection duri	Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protect Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		
SECTION 6	: Accidental release meas	sures	
6.1. Pers	onal precautions, protectiveequ	ipment and emergency procedures	
6.1.1. For r	non-emergency personnel		
Emergency pro		: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Avoid breathing dust/fume/gas/mist/vapors/spray.	
6.1.2. For e	emergency responders		
Protective equi	otective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/ personal protection".		
Emergency pro	ocedures	: Ventilate area.	
6.2. Envi	ronmental precautions		
Avoid release t	to the environment. Prevent entry t	to sewers and public waters. Notify authorities if liquid enters sewers or public waters.	
6.3. Meth	nods and material for containme	nt and cleaning up	
Methods for c	leaning	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
up Other inforn	nation	: Dispose of materials or solid residues at an authorized site.	
	erence to other sections		
See Heading 8	. Exposure controls and personal	protection. For further information refer to section 13.	
SECTION 7	: Handling and storage		
7.1. Prec	autions for safe handling		
Precautions for	r safe handling	: Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Do not get in eyes, on skin, or on clothing. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapors/spray.	
Hygiene meas	ures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace.	
7.2. Cone	ditions for safe storage, includir	ng any incompatibilities	
Storage condit	ions	: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.	
Incompatible p	roducts	: Strong bases. Strong acids.	
Incompatible m	naterials	: Sources of ignition. Direct sunlight.	
Storage tempe	rature Storage	: 25 °C	
area		: Store in a well-ventilated place. Store away from heat.	
Special rules o		: Store in a closed container.	
Packaging mat	terials	: Do not store in corrodable metal.	
	cific end use(s) nformation available		
SECTION 8	: Exposure controls/perso	anal protection	
	trol parameters		
0.1. 0011			

Isoamyl acetate (123-92-2)		
EU	IOELV TWA (mg/m³)	270 mg/m ³
EU	IOELV TWA (ppm)	50 ppm
EU	IOELV STEL (mg/m ³)	540 mg/m ³
EU	IOELV STEL (ppm)	100 ppm
Austria	MAK (mg/m³)	270 mg/m ³ (Pentyl acetate (all isomers))

Isoamyl acetate (12 Austria	MAK (ppm)	50 ppm (Pentyl acetate (all isomers))
Austria	MAK Short time value (mg/m ³)	540 mg/m ³ (Pentylacetate)
Austria	MAK Short time value (ppm)	100 ppm (Pentylacetate)
Belgium	Limit value (mg/m ³)	270 mg/m ³
Belgium	Limit value (ppm)	50 ppm
Belgium	Short time value (mg/m ³)	540 mg/m ³
Belgium	Short time value (ppm)	100 ppm
Bulgaria	OEL TWA (mg/m ³)	270 mg/m ³
Bulgaria	OEL TWA (ppm)	50 ppm
Bulgaria	OEL STEL (mg/m ³)	540 mg/m ³
Bulgaria	OEL STEL (ppm)	100 ppm
Croatia	GVI (granična vrijednost izloženosti) (mg/m³)	270 mg/m ³
Croatia	GVI (granična vrijednost izloženosti) (ppm)	50 ppm
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m ³)	540 mg/m³
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (ppm)	100 ppm
Cyprus	OEL TWA (mg/m ³)	270 mg/m ³
Cyprus	OEL TWA (ppm)	50 ppm
Cyprus	OEL STEL (mg/m ³)	540 mg/m ³
Cyprus	OEL STEL (ppm)	100 ppm
Denmark	Limit (long-term) (mg/m ³)	271 mg/m ³ (Amyl acetate, all isomers)
Denmark	Limit (long-term) (ppm)	50 ppm (Amyl acetate, all isomers)
Estonia	OEL TWA (mg/m³)	270 mg/m³
Estonia	OEL TWA (ppm)	50 ppm
Estonia	OEL STEL (mg/m ³)	540 mg/m³
Estonia	OEL STEL (ppm)	100 ppm
Finland	HTP-arvo (8h) (mg/m³)	270 mg/m ³ (Pentyl acetate)
Finland	HTP-arvo (8h) (ppm)	50 ppm (Pentyl acetate)
Finland	HTP-arvo (15 min)	540 mg/m³
Finland	HTP-arvo (15 min) (ppm)	100 ppm
France	VME (mg/m ³)	270 mg/m ³ (restrictive limit)
France	VME (ppm)	50 ppm (restrictive limit)
France	VLE (mg/m ³)	540 mg/m ³ (restrictive limit)
France	VLE (ppm)	100 ppm (restrictive limit)
Germany	TRGS 900 Occupational exposure limit value (mg/m ³)	270 mg/m³
Germany	TRGS 900 Occupational exposure limit value (ppm)	50 ppm
Gibraltar	Eight hours mg/m3	270 mg/m³
Gibraltar	Eight hours ppm	50 ppm
Gibraltar	Short-term mg/m3	540 mg/m³
Gibraltar	Short-term ppm	100 ppm
Greece	OEL TWA (mg/m³)	530 mg/m³
Greece	OEL TWA (ppm)	100 ppm
Greece	OEL STEL (mg/m ³)	800 mg/m ³
Greece	OEL STEL (ppm)	150 ppm
Hungary	Exposure Limit Value	270 mg/m ³
Hungary	CK-érték	540 mg/m³
Ireland	OEL (8 hours ref) (mg/m ³)	260 mg/m ³
Ireland	OEL (8 hours ref) (ppm)	50 ppm
Ireland	OEL (15 min ref) (mg/m3)	520 mg/m³
Ireland	OEL (15 min ref) (ppm)	100 ppm
Italy	OEL TWA (mg/m³)	270 mg/m³
Italy	OEL TWA (ppm)	50 ppm
Italy	OEL STEL (mg/m ³)	540 mg/m ³

Isoamyl acetate (123-92 Italy	OEL STEL (ppm)	100 ppm
,		
Latvia	OEL TWA (mg/m³)	270 mg/m ³
Latvia	OEL TWA (ppm)	50 ppm
Lithuania	IPRV (mg/m³)	270 mg/m³
Lithuania	IPRV (ppm)	50 ppm
Lithuania	TPRV (mg/m ³)	540 mg/m³
Lithuania	TPRV (ppm)	100 ppm
Luxembourg	OEL TWA (mg/m ³)	270 mg/m ³
Luxembourg	OEL TWA (ppm)	50 ppm
Luxembourg	OEL STEL (mg/m ³)	540 mg/m ³
	· · ·	ů.
Luxembourg	OEL STEL (ppm)	100 ppm
Malta	OEL TWA (mg/m ³)	270 mg/m ³
Malta	OEL TWA (ppm)	50 ppm
Malta	OEL STEL (mg/m ³)	540 mg/m ³
Malta	OEL STEL (ppm)	100 ppm
Netherlands Poland	Grenswaarde TGG 15MIN (mg/m ³)	530 mg/m ³
	NDS (mg/m ³)	250 mg/m ³
Poland	NDSCh (mg/m³)	500 mg/m³
Portugal	OEL TWA (mg/m³)	270 mg/m ³ (indicative limit value)
Portugal	OEL TWA (ppm)	50 ppm (indicative limit value)
Portugal	OEL STEL (mg/m ³)	540 mg/m ³ (indicative limit value)
Portugal	OEL STEL (ppm)	100 ppm (indicative limit value, regulated under Pent acetate, all isomers)
Romania	OEL TWA (mg/m³)	270 mg/m ³
Romania	OEL TWA (ppm)	50 ppm
Romania	OEL STEL (mg/m ³)	540 mg/m ³
Romania	OEL STEL (ppm)	100 ppm
Slovakia	NPHV (priemerná) (mg/m³)	270 mg/m ³
Slovakia	NPHV (priemerná) (ppm)	50 ppm
Slovakia	NPHV (Hraničná) (mg/m³)	540 mg/m³
Slovenia	OEL TWA (mg/m³)	270 mg/m³
Slovenia	OEL TWA (ppm)	50 ppm
Slovenia	OEL STEL (mg/m ³)	540 mg/m³
Slovenia	OEL STEL (ppm)	100 ppm
Spain	VLA-ED (mg/m ³)	270 mg/m ³ (indicative limit value)
Spain	VLA-ED (ppm)	50 ppm (indicative limit value)
Spain	VLA-EC (mg/m ³)	540 mg/m ³
Spain	VLA-EC (ppm)	100 ppm
Sweden	nivågränsvärde (NVG) (mg/m³)	270 mg/m ³ (Pentyl acetates)
Sweden	nivågränsvärde (NVG) (ppm)	50 ppm (Pentyl acetates)
Sweden	kortidsvärde (KTV) (mg/m ³)	540 mg/m³ (Pentyl acetates)
Sweden	kortidsvärde (KTV) (ppm)	100 ppm (Pentyl acetates)
Norway	TWA (AN) (mg/m ³)	260 mg/m ³
Norway	TWA (AN) (ppm)	50 ppm
Norway	TWA (Korttidsverdi) (mg/m3)	325 mg/m ³ (value calculated)
Norway	TWA (Korttidsverdi) (hig/his)	75 ppm (value calculated)
		··· · · · · · · · · · · · · · · · · ·
Australia		270 mg/m ³
Australia Australia	TWA (ppm) STEL (mg/m³)	50 ppm 541 mg/m³
Australia	STEL (mg/m ³) STEL (ppm)	100 ppm
Canada (Quebec)	VECD (mg/m ³)	532 mg/m ³ (Pentyl acetates)
Canada (Quebec)	VECD (highle) VECD (ppm)	100 ppm (Pentyl acetates)

Isoamyl acetate (123-92-2)			
Canada (Quebec)	VEMP (mg/m ³)	266 mg/m ³ (Pentyl acetates)	
Canada (Quebec)	VEMP (ppm)	50 ppm (Pentyl acetates)	
USA - ACGIH	ACGIH TWA (ppm)	50 ppm (Pentyl acetate, all isomers)	
USA - ACGIH	ACGIH STEL (ppm)	100 ppm (Pentyl acetate, all isomers)	
USA - IDLH	US IDLH (ppm)	1000 ppm	
USA - NIOSH	NIOSH REL (TWA) (mg/m ³)	525 mg/m³	
USA - NIOSH	NIOSH REL (TWA) (ppm)	100 ppm	
USA - OSHA	OSHA PEL (TWA) (mg/m ³)	525 mg/m ³	
USA - OSHA	OSHA PEL (TWA) (ppm)	100 ppm	

8.2. Exposure controls

Appropriate engineering controls	: Ensure good ventilation of the work station.	
Personal protective equipment : Avoid all unnecessary exposure.		
Hand protection	: Wear protective gloves.	
Eye protection	: Chemical goggles or safety glasses. Safety glasses	
Skin and body protection	: Wear suitable protective clothing	
Respiratory protection	: Wear appropriate mask	
Environmental exposure	: Avoid release to the environment.	
controls Other information	: Do not eat, drink or smoke during use.	

SECTION 9: Physical and chemical properties

9.1. Information on basicphysical and chemical properties

9.1. Information on basicphysical and chemical properties	
Physical state	: Liquid
Color	: light yellow. amber.
Odor	: coconut.
Odor threshold	: No data available
рН	: No data available
Relative evaporation rate (butyl	: No data available
acetate=1) Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 93.33 °C (closed cup) ASTM D7094
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	:≈1
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. **Chemical stability**

Not established.

Possibility of hazardous reactions 10.3.

Not established.

Acute toxicity

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

: Harmful if swallowed. Harmful in contact with skin.

ATE CLP (oral)	571.429 mg/kg body weight
ATE CLP (dermal)	1714.286 mg/kg body weight
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity	
Ecology - general	: Harmful to aquatic life with long lasting effects.
Ecology - water	: Very toxic to aquatic life.

Persistence and degradability 12 2

12.2.	Persistence and degradability	
COCO	O CABANA FO-0039	
Persis	stence and degradability	Not established.
12.3.	Bioaccumulative potential	
COC	O CABANA FO-0039	
Bioac	cumulative potential	Not established.
12.4. No add	Mobility in soil itional information available	
12.5. No add	Results of PBT and vPvB assessment itional information available	t i i i i i i i i i i i i i i i i i i i
12.6. Addition	Other adverse effects nal information	: Avoid release to the environment.
SECT	ION 13: Disposal considerations	
13.1.	Waste treatment methods	
Waste 1	treatment methods	: Dispose of contents/container in accordance with licensed collectorscorting instructions.

Waste treatment methods	: Dispose of contents/container in accordance with licensed collectorssorting instructions.
Product/Packaging disposal	: Dispose of contents/container in accordance with local/national laws and regulations.
recommendations	Dispose
	in a safe manner in accordance with local/national regulations.
Ecology - waste materials	· Avoid release to the environment

: Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number	
UN-No. (ADR)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable
UN-No. (ADN)	Not applicable
UN-No. (RID)	: Not applicable
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable
14.3. Transport hazard class(es) ADR	
Transport hazard class(es) (ADR)	: Not applicable
Transport Trazard Class(es) (ADR)	
IMDG	
Transport hazard class(es) (IMDG)	: Not applicable
ΙΑΤΑ	
Transport hazard class(es) (IATA)	: Not applicable
ADN	
Transport hazard class(es) (ADN)	: Not applicable
RID	
Transport hazard class(es) (RID)	: Not applicable
11.1 Decking group	
14.4. Packing group	. Net explored
Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable
14.5. Environmental hazards	
Dangerous for the	: No
environment Marine pollutant	: No
Other information	: No supplementary information available
14.6. Special precautions for user	
- Overland transport	
Not applicable	
- Transport by sea	
Not applicable	

- Air transport Not applicable

- Inland waterway transport Not applicable

- Rail transport Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3(a) Substances or mixtures fulfilling the following hazard classes or categories so Regulation (EC) No 1272/2008: Hazard clas 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 of categories 1 and 2, 2.15 types A to F	et out in Annex I to ses 2.1 to 2.4, 2.6 and	Isoamyl acetate
3(b) Substances or mixtures fulfilling the criteri following hazard classes or categories set out Regulation (EC) No 1272/2008: Hazard classe adverse effects on sexual function and fertility effects other than narcotic effects, 3.9 and 3.1	in Annex I to es 3.1 to 3.6, 3.7 or on development, 3.8	COCO CABANA FO-0039 ; Triplal (Vertocitral)
3(c) Substances or mixtures fulfilling the criteri following hazard classes or categories set out Regulation (EC) No 1272/2008: Hazard class	in Annex I to	COCO CABANA FO-0039 ; Triplal (Vertocitral) ; Methyl ester of rosin(partially hydrogenated)
40. Substances classified as flammable gases flammable liquids categories 1, 2 or 3, flamma substances and mixtures which, in contact wit gases, category 1, 2 or 3, pyrophoric liquids ca solids category 1, regardless of whether they a VI to Regulation (EC) No 1272/2008 or not.	ble solids category 1 or 2, h water, emit flammable ategory 1 or pyrophoric	Isoamyl acetate
Contains no REACH candidate substance		
Contains no REACH Annex XIV		
substances.		
15.1.2. National regulations		
Germany		
Reference to AwSV	: Water hazard class (Wo Annex 1)	GK) 1, slightly hazardous to water (Classification according to AwSV,
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12	. BlmSchV (Hazardous Incident Ordinance)
Netherlands		
SZW-lijst van kankerverwekkende stoffen	: Triplal (Vertocitral),Resi	in acids and Rosin acids, hydrogenated, methyl esters are listed
SZW-lijst van mutagene stoffen	: Triplal (Vertocitral),Res	in acids and Rosin acids, hydrogenated, methyl esters are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: None of the component	its are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: None of the componen	ts are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: None of the componen	ats are listed
Denmark		
Classification remarks	: Emergency manageme	nt guidelines for the storage of flammable liquids must be followed
Recommendations Danish Regulation		e age of 18 years are not allowed to use the product g women working with the product must not be in direct contact with
15.2. Chemical safety assessment		
No chemical safety assessment has been carrie	d out	
SECTION 16: Other information		
Other information	· None	

Other information

: None.

Full text of H- and EUH-phrases:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3

Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 3	Flammable liquids Category 3
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1B	Skin sensitization, category 1B
H226	Flammable liquid and vapour
H301	Toxic if swallowed
H302	Harmful if swallowed
H311	Toxic in contact with skin
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H331	Toxic if inhaled
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

FCF SDS EU CLP.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.